



OTC-7702 - Specifications

PHYSICAL CHARACTERISTICS

Label Density	OTC-7702
Dimensions	5.50in.H x 3.11in.W x 1.97in D
Weight	551G
Voltage and Current	5VDC+/- 10%
Power Source	USB
Colour	Black

PERFORMANCE CHARACTERISTICS

Scanner Type	CMOS
Light Source	Image light
Scan Element Frequency	30 Fps
Scan Rate/speed	280 Scans per second
Scan width	36 cm
Nominal Working Distance	5-10cm, max 80cm
Precision	5mil
Print Contrast	20%
Skew (Yaw):	15°c
Decode Capability	1D code: EAN-8, EAN-13, EAN-13 2 add-on, EAN-13 5 add-on, ISSN, ISBN, UPC-A, UPC-E, Code 11, Code32, Code 39, Code 93, Code 128, Codabar, Industrial 2 of 5, Matrix2 of 5, Interleaved 2

of 5, GS1-128, GS1 DataBar (RSS14), GS1 DataBar Limited, GS1 DataBar Expanded 2D code:PDF417,QR Code, Data Matrix, MicroPDF417, MicroQR,

Interfaces Supported

USB

USER ENVIRONMENT

Operating Temp.	-20-55°C
Storage Temp.	-20-60°C
Humidity	5-95% Non-Condensed
Drop Specifications	1.5m

REGULATORY

Ambient light intensity	0-70000 LUX
--------------------------------	-------------

ACCESSORIES

stand

WARRANTY

The OTC-7702 is warranted against defects in workmanship and materials for a period of 1 years (12 months) from date of shipment, provided that the product remains unmodified and is operated under normal and proper conditions.

